ELSEVIER

Discrete Mathematics 138 (1995) 413–414

DISCRETE MATHEMATICS

Author index to volume 138 (1995)

Adelgren, T., Triangle-free eulerian tours in graphs with maximum degree at most (1–3) 5– 14
Aguiló, F. and M.A. Fiol, An efficient algorithm to find optimal double loop networks (1–3) 15– 29
Anderson, I., S.D. Cohen and N.J. Finizio, An existence theorem for cyclic triplewhist tournaments (1–3) 31– 41
Anthony, M., G. Brightwell and C. Cooper, The Vapnik–Chervonenkis dimension of a random graph (1–3) 43– 56
Axenovich, M., D. Fon-Der-Flaass and A. Kostochka, On set systems without weak 3-Δ-subsystems (1–3) 57– 62
Bang-Jensen, J., G. Gutin and J. Huang, Weakly Hamiltonian-connected ordinary multipartite tournaments (1–3) 63– 74
Bang-Jensen, J., P. Hell and G. MacGillivray, Hereditarily hard H-colouring problems (1–3) 75– 92
Barefoot, C., K. Casey, D. Fisher, K. Fraughnaugh, F. Harary, Size in maximal triangle-free graphs and minimal graphs of diameter (1–3) 93– 99
Bauslaugh, B., Core-like properties of infinite graphs and structures (1–3) 101–111
Bierbrauer, J., A family of 4-designs with block size 9 (1–3) 113–117
Bowler, A., On the fixed points of an automorphism of a symmetric design (1–3) 119–124
Brightwell, G., see M. Anthony (1–3) 43– 56
Broere, I., J.H. Hattingh, M.A. Henning and A.A. McRae, Majority domination in graphs (1–3) 125–135
Brouwer, A.E., Variations on a theme by Weetman (1–3) 137–145
Brunat, J.M., M. Espona, M.A. Fiol and O. Serra, On Cayley line digraphs (1–3) 147–159
Bryant, D.E. and S. Oates-Williams, Mendelsohn designs associated with a class of idempotent quasigroups (1–3) 161–167
Buratti, M., Constructions of $(q, k, 1)$ difference families with q a prime power and $k = 4, 5$ (1–3) 169–175
Caro, Y., Y. Roditty and J. Schönheim, On colored designs — II (1–3) 177–186
Casey, K., see C. Barefoot (1–3) 93– 99
Chapman, R.J. and B.S. Webb, A note on a lemma of Brauer (1–3) 187–191
Chopra, D.V., On arrays with some combinatorial structure (1–3) 193–198
Cockayne, E.J., G. Fricke and C.M. Mynhardt, On a Nordhaus–Gaddum type problem for independent domination (1–3) 199–205
Cohen, S.D., see I. Anderson (1–3) 31– 41
Cooper, C., see M. Anthony (1–3) 43– 56
Cowling, P., Strong total chromatic numbers of complete hypergraphs (1–3) 207–212
Cvetković, D. and S. Simić, On graphs whose second largest eigenvalue does not exceed $(\sqrt{5}-1)/2$ (1–3) 213–227
Dunbar, J.E., F.C. Harris Jr, S.M. Hedetniemi, S.T. Hedetniemi, A.A. McRae and R.C. Laskar, Nearly perfect sets in graphs (1–3) 229–246
Espona, M., see J.M. Brunat (1–3) 147–159
Finizio, N.J., see I. Anderson (1–3) 31– 41
Fiol, M.A., see F. Aguiló (1–3) 15– 29
Fiol, M.A., see J.M. Brunat (1–3) 147–159
Fisher, D., see C. Barefoot (1–3) 93– 99
Fon-Der-Flaass, D., see M. Axenovich (1–3) 57– 62
Fraughnaugh, K., see C. Barefoot (1–3) 93– 99
Fricke, G., see E.J. Cockayne (1–3) 199–105
Grannell, M.J., T.S. Griggs and J.S. Phelan, Continuity of Mendelsohn and Steiner triple systems (1–3) 247–253

Griggs, T.S., see M.J. Grannell (1–3) 247–253
Gutin, G., see J. Bang-Jensen (1–3) 63– 74
Harary, F., see C. Barefoot (1–3) 93– 99
Harris Jr, F.C., see J.E. Dunbar (1–3) 229–246
Harzheim, E., On weakly arithmetic progressions (1–3) 255–260
Hattingh, J.H., see I. Broere (1–3) 125–135
Hedetniemi, S.M., see J.E. Dunbar (1–3) 229–246
Hedetniemi, S.T., see J.E. Dunbar (1–3) 229–246
Hell, P., see J. Bang-Jensen (1–3) 75– 92
Henning, M.A., see I. Broere (1–3) 125–135
Hochberg, R., C. McDiarmid and M. Saks, On the bandwidth of triangulated triangles (1–3) 261–265
Hoggar, S.G. and I. McFarlane, Faster fractal pictures by finite fields and far rings (1–3) 267–280
Huang, J., see J. Bang-Jensen (1–3) 63– 74
Hughes Jones, R., Enumerating uniform polyhedral surfaces with triangular faces (1–3) 281–292
Jennings, D., On packing of squares and rectangles (1–3) 293–300
Klavžar, S. and B. Mohar, The chromatic numbers of graph bundles over cycles (1–3) 301–314
Kostochka, A., see M. Axenovich (1–3) 57– 62
Laskar, R.C., see J.K. Dunbar (1–3) 229–246
Lewis, R.P. and S.P. Norton, On a problem raised by P.J. Cameron (1–3) 315–318
MacGillivray, G., see J. Bang-Jensen (1–3) 75– 92
McDiarmi, C., see R. Hochberg (1–3) 261–265
McFarlane, I., see S.G. Hoggar (1–3) 267–280
McRae, A.A., see I. Broere (1–3) 125–135
McRae, A.A., see J.E. Dunbar (1–3) 229–246
Meir, A. and J.W. Moon, On path entropy functions for rooted trees (1–3) 319–326
Mohar, B., see S. Klavžar (1–3) 301–314
Moon, J.W., see A. Meir (1–3) 319–326
Mynhardt, C.M., see E.J. Cockayne (1–3) 199–205
Norton, S.P., see R.P. Lewis (1–3) 315–318
Oates-Williams, S., see D.E. Bryant (1–3) 161–167
Paterson, K.G. and M.J.B. Robshaw, Storage efficient decoding for a class of binary be Bruijn sequences (1–3) 327–341
Phelan, J.S., see M.J. Grannell (1–3) 247–253
Preece, D.A. and Vowden, B.J., Graeco-Latin squares with embedded balanced superimpositions of Youden squares (1–3) 353–363
Preece, D.A., How many 7×7 Latin squares can be partitioned into Youden squares? (1–3) 343–352
Robshaw, M.J.B., see K.G. Paterson (1–3) 327–341
Roditty, Y., see Y. Caro (1–3) 177–186
Ryjáček, Z. and I. Schiermeyer, On the independence number in $K_{1,r+1}$-free graphs (1–3) 365–374
Saks, M., see R. Hochberg (1–3) 261–265
Sánchez-Arroyo, A., A new upper bound for total colourings of graphs (1–3) 375–377
Schiermeyer, I., see Z. Ryjacek (1–3) 365–374
Schönheim, J., see Y. Caro (1–3) 177–186
Serra, O., see J.M. Brunat (1–3) 147–159
Simić, S., see D. Cvetković (1–3) 213–227
Tuza, Z., see N. Van Ngoc (1–3) 387–392
van Blanken, E., J. van den Heuvel and H.J. Veldman, Pancyclicity of hamiltonian line graphs (1–3) 379–385
van den Heuvel, J., see E. van Blanken (1–3) 379–385
van Ngoc, N. and Z. Tuza, 4-chromatic graphs with large odd girth (1–3) 387–392
Veldman, H.J., see E. van Blanken (1–3) 379–385
Vowden, B.J., see D.A. Preece (1–3) 353–363
Webb, B.S., see R.J. Chapman (1–3) 187–191
West, D.B., Acyclic orientations of complete bipartite graphs (1–3) 393–396
Wild, P., Some families of semibiplanes (1–3) 397–403